PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2002-082734

(43) Date of publication of application: 22.03.2002

(51)Int.CI.

G06F G06F 3/03 G06F 3/033 G06F 12/14 7/00 G06T G09G 5/00

(21)Application number: 2000-269621

(71)Applicant: SONY CORP

(22) Date of filing:

06.09.2000

(72)Inventor: сото томоніко

SATO TAKASHI


TAKAHASHI CHIKANORI

(54) DEVICE AND METHOD FOR INFORMATION PROCESSING AND PROGRAM STORAGE MEDIUM

(57) Abstract:

PROBLEM TO BE SOLVED: To set a figure for unlocking with arbitrary resolution and authentication precision.

SOLUTION: When a screen saver lock by a figure is set, a check box 151 is checked. In a figure display area 153, a figure for unlocking that a user input is displayed. In a resolution setting area 155, resolution (area number of figure display area 53) for figure recognition can be set by using a setting lever. In an authentication precision setting area 154, the lowest matching rate for comparison between the figure that the user sets and the figure inputted for unlocking can be set corresponding to the set resolution by using the setting lever. When an OK button 156 is selected, those settings are stored for screen saver unlocking and when a cancel button 157 is selected, those settings are not stored.



.(C) WPI / DERWENT

- 2002-335425 [37] ΑN

- JP20000269621 20000906 AΡ

- JP20000269621 20000906 PR

- Information processor e.g. personal computer, authenticates releasing of screen saver lock, only when graphic data input for releasing screen saver lock, matches with pre-stored graphic data
- INFORMATION PROCESSOR PERSON COMPUTER RELEASE SCREEN SAVE LOCK GRAPHIC IW DATA INPUT RELEASE SCREEN SAVE LOCK MATCH PRE STORAGE GRAPHIC DATA

- (SONY) SONY CORP PA

- JP2002082734 A 20020322 DW200237 G06F1/00 018pp PN

IC

- G06F1/00 ; G06F3/03 ; G06F3/033 ; G06F12/14 ; G06T7/00 ; G09G5/00 - JP2002082734 NOVELTY - A memory stores graphic data for releasing the AB screen saver lock. A recognition unit recognizes the graphic data input for releasing the screen saver lock. An authentication unit authenticates the releasing of screen saver lock, only when the recognized data matches with the stored data.

- DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the

following:

(a) Information processing method;


- (b) Recorded medium storing information processing program

- USE - Information processor e.g. personal computer.


- ADVANTAGE - The authentication for releasing the screen saver lock, is performed effectively and accurately.

DESCRIPTION OF DRAWING(S) - The figure shows a diagram explaining the setting property window. (Drawing includes non-English language text).


(Dwg.7/17)





[Translation done.]




[Translation done.]










キャンセル 適用(人)










-......





[2, 1, 5, 9, 10, 11, 12, 8, 4, 3, 2]













1	2	3	4
5	6	7	8)
9	10	11	12

[2, 6, 10, 11, 12, 8, 4, 3, 2]

(B)

1	2	3	4
5	6	7	8
9	2)	_11_	12

{2, 6, 5, 9, 10, 11, 12, 8, 4, 3, 2}



1/	72	3	4
5	6	7	8
9	19	_11_	/12

[2, 3, 4, 8, 12, 11, 10, 9, 5, 1, 2]

_	16	 	
O.	In.		
9			
_			

ダイアログ		×
	徐図形を入力するか、パスワードを	
入力して	(ださい	
L		
	OK キャンセル	
	~ 201 ダイアログ寿示ウィンドウ	

